

Message

From: Sutin, Elyana [Sutin.Elyana@epa.gov]
Sent: 9/30/2016 7:20:09 PM
To: Chin, Lucita [Chin.Lucita@epa.gov]
Subject: RE: Follow up with OGWDW Re: DB AE Future Use

Great. Thanks for letting me know.

Elyana Sutin
Deputy Regional Counsel
U.S. EPA, Region 8
303.312.6899

From: Chin, Lucita
Sent: Friday, September 30, 2016 12:18 PM
To: Sutin, Elyana <Sutin.Elyana@epa.gov>
Subject: RE: Follow up with OGWDW Re: DB AE Future Use

Ex. 5 AC/AWP/DP

Lucita Chin
Associate Regional Counsel
Environmental Protection Agency
1595 Wynkoop St.
Denver, CO 80202
Office: (303) 312-7832

From: Sutin, Elyana
Sent: Thursday, September 29, 2016 4:43 PM
To: Chin, Lucita <Chin.Lucita@epa.gov>
Subject: RE: Follow up with OGWDW Re: DB AE Future Use

Ex. 5 AC/AWP/DP

If you want to discuss this further let me know.

Elyana Sutin
Deputy Regional Counsel
U.S. EPA, Region 8
303.312.6899

From: Chin, Lucita
Sent: Thursday, September 29, 2016 3:36 PM

To: Sutin, Elyana <Sutin.Elyana@epa.gov>
Subject: RE: Follow up with OGWDW Re: DB AE Future Use

ATTORNEY-CLIENT PRIVILEGE
ATTORNEY WORK PRODUCT
DELIBERATIVE

Ex. 5 AC/AWP/DP

Happy to talk more about it. I'll let you know how it goes w/ Sarah tomorrow.

Lucita Chin
Associate Regional Counsel
Environmental Protection Agency
1595 Wynkoop St.
Denver, CO 80202
Office: (303) 312-7832

From: Sutin, Elyana
Sent: Thursday, September 29, 2016 2:33 PM
To: Chin, Lucita <Chin.Lucita@epa.gov>
Subject: RE: Follow up with OGWDW Re: DB AE Future Use

Lucita,

Thanks for the update. Please keep me posted on your discussions with Sarah as well as what you hear from OGC.

Ex. 5 AC/DP

Elyana Sutin
Deputy Regional Counsel
U.S. EPA, Region 8
303.312.6899

From: Chin, Lucita
Sent: Thursday, September 29, 2016 1:06 PM
To: Sutin, Elyana <Sutin.Elyana@epa.gov>
Subject: FW: Follow up with OGWDW Re: DB AE Future Use

Hey Elyana -- here is the latest on the **Ex. 5 AC/DP**. I highlighted the HQ's paragraph below that you need to look at most closely. I plan to talk with Sarah Bahrman about it tomorrow.

Lucita Chin
Associate Regional Counsel
Environmental Protection Agency
1595 Wynkoop St.

Denver, CO 80202
Office: (303) 312-7832

From: Chin, Lucita
Sent: Thursday, September 29, 2016 11:17 AM
To: Bahrman, Sarah <Bahrman.Sarah@epa.gov>; Minter, Douglas <Minter.Douglas@epa.gov>
Cc: Shea, Valois <Shea.Valois@epa.gov>
Subject: RE: Follow up with OGWDW Re: DB AE Future Use

ATTORNEY-CLIENT PRIVILEGE
DELIBERATIVE

Ex. 5 AC/DP

Lucita Chin
Associate Regional Counsel
Environmental Protection Agency
1595 Wynkoop St.
Denver, CO 80202
Office: (303) 312-7832

From: Bahrman, Sarah
Sent: Thursday, September 29, 2016 10:56 AM
To: Minter, Douglas <Minter.Douglas@epa.gov>
Cc: Shea, Valois <Shea.Valois@epa.gov>; Chin, Lucita <Chin.Lucita@epa.gov>
Subject: RE: Follow up with OGWDW Re: DB AE Future Use

Thanks! I'll update the briefing doc accordingly.

Sarah E. Bahrman | Acting Director, Water Program | U.S. Environmental Protection Agency - Region 8
(p) 303.312.6243 | (c) 303.903.8515 | (f) 877.876.9101

From: Minter, Douglas
Sent: Thursday, September 29, 2016 10:51 AM
To: Bahrman, Sarah <Bahrman.Sarah@epa.gov>
Cc: Shea, Valois <Shea.Valois@epa.gov>; Chin, Lucita <Chin.Lucita@epa.gov>
Subject: Follow up with OGWDW Re: DB AE Future Use

Sarah: here is what I heard from Holly...fyi.

Ex. 5 Deliberative Process (DP)

From: Minter, Douglas
Sent: Thursday, September 29, 2016 10:38 AM
To: Green, Holly <Green.Holly@epa.gov>
Subject: RE: DWPD Management Position Announcements

Ex. 5 Deliberative Process (DP)

From: Green, Holly
Sent: Thursday, September 29, 2016 8:41 AM
To: Minter, Douglas <Minter.Douglas@epa.gov>
Subject: RE: DWPD Management Position Announcements

Ex. 5 Deliberative Process (DP)

Here it is, attached. I may get another comment or two in, but here are mine.

Holly Sage Green
Chief, Prevention Branch
Drinking Water Protection Division
EPA Office of Ground Water and Drinking Water
1200 Pennsylvania Ave. NW, Washington, DC 20460
(202) 566-0651 (desk)
(202) 594-6563 (work cell)

From: Minter, Douglas
Sent: Wednesday, September 28, 2016 5:58 PM

To: Green, Holly <Green.Holly@epa.gov>
Subject: RE: DWPD Management Position Announcements

Thanks Holly. I will be here awhile this afternoon as I am making revisions now to meet a noon deadline tomorrow for the RA.

Ex. 5 Deliberative Process (DP)

Douglas

From: Green, Holly
Sent: Wednesday, September 28, 2016 3:52 PM
To: Minter, Douglas <Minter.Douglas@epa.gov>
Subject: Re: DWPD Management Position Announcements

Thanks, Douglas. I really enjoy working with you and your staff. I'm gathering final comments on the DB communication strategy. We can chat tomorrow if you have time and need to clarify anything.

Holly Sage Green
Chief, Prevention Branch
Drinking Water Protection Division
Office of Ground Water and Drinking Water
U.S. Environmental Protection Agency
Washington, DC
(202) 566-0651 (office)
(202) 594-6563 (EPA cell)

On Sep 28, 2016, at 1:03 PM, Minter, Douglas <Minter.Douglas@epa.gov> wrote:

Hooray and congratulations! This is certainly well deserved/earned and Region 8 looks forward to maintaining a strong working relationship with you and your staff!

Sincerely,

Douglas

From: Green, Holly
Sent: Wednesday, September 28, 2016 11:00 AM
To: Albright, David <Albright.David@epa.gov>; Allenbach, Becky <Allebenach.Bekky@epa.gov>; Bennett, James <bennett.james@epa.gov>; Brown, Jamesr <brown.jamesr@epa.gov>; Contreras, Peter <Contreras.Peter@epa.gov>; Dellinger, Philip <dellinger.philip@epa.gov>; Donahue, Lisa <Donahue.Lisa@epa.gov>; Downing, Jane <Downing.Jane@epa.gov>; Green, Holly <Green.Holly@epa.gov>; Jann, Stephen <jann.stephen@epa.gov>; Johnson, KarenD <Johnson.KarenD@epa.gov>; Kraft, Nicole <Kraft.Nicole@epa.gov>; Lane, Willie <Lane.Willie@epa.gov>; Marsh, Nancy <Marsh.Nancy@epa.gov>; Mindrup, Mary <Mindrup.Mary@epa.gov>; Minter, Douglas <Minter.Douglas@epa.gov>; O'Connor, Darcy <oconnor.darcy@epa.gov>; Overbay, Michael <overbay.michael@epa.gov>; Pardue-Welch, Kimberly <Pardue-Welch.Kimberly@epa.gov>; Perenchio, Lisa <perenchio.lisa@epa.gov>; Rzeznik, Dana <rzeznik.dana@epa.gov>; Smith, Brian <Smith.Brian@epa.gov>; Springborg, Denise <Springborg.Denise@epa.gov>
Subject: FW: DWPD Management Position Announcements

Hi all,

Just wanted to share this news with you all! Thanks for your support over the years in getting me up to speed on the UIC program. I'm excited to continue working with you in this capacity.

Best,
Holly

From: Thompkins, Anita

Sent: Wednesday, September 21, 2016 7:22 PM

To: OW-OGWDW Drinking Water Protection Division-IO

<OWOGWDW_Drinking_Water_Protection_DivisionIO@epa.gov>; OW-OGWDW Protection Program

<OWOGWDW_Protection_Program@epa.gov>; OW-OGWDW Prevention Program

<OWOGWDW_Prevention_Program@epa.gov>; OW-OGWDW Infrastructure Program

<OWOGWDW_Infrastructure_Program@epa.gov>

Cc: OW-OGWDW Immediate Office <OWOGWDW_Immediate_Office@epa.gov>; Burneson, Eric

<Burneson.Eric@epa.gov>; Oshida, Phil <Oshida.Phil@epa.gov>; Travers, David <Travers.David@epa.gov>; Newberry,

Debbie <Newberry.Debbie@epa.gov>

Subject: DWPD Management Position Announcements

Hello DWPD Colleagues,

This note is to provide you with two important personnel updates.

I am very pleased to announce that Holly Green, who has been the acting Chief for the Prevention Branch since October 2013, will be the permanent Prevention Branch Chief beginning October 2, 2016. Holly has been managing the Underground Injection Control Program and supporting the Source Water Protection management lead and team. Holly came to DWPD in 2012 as the Associate Branch Chief for Prevention. In that role she managed the Source Water Protection Program and worked on aspects of the Underground Injection Control Program, such as aquifer storage and recovery. Previously, Holly held leadership positions in EPA's national Water Quality Standards Program, focusing on water quality criteria implementation in Clean Water Act programs and national nutrients policy. She also spent three years with the EPA Office of Inspector General. Prior to EPA, Holly served as a Peace Corps Volunteer in Honduras working with communities to build, sustain and protect rural drinking water systems. Holly received a B.A. in Environmental Planning from Binghamton University (State University of New York) and a Master of Environmental Management degree from the Yale School of Forestry and Environmental Studies.

I am also delighted to announce that Michael Plastino will be joining DWPD as the Infrastructure Branch Chief beginning October 2, 2016. Michael joins DWPD from the Office of Environmental Information (OEI) where he was the acting Director of OEI's Technical Architecture & Planning Division, a new division charged with developing and coordinating infrastructure, application and data architecture strategies (e.g. an Agency Cloud Hosting Solutions Strategy) as well as establishing and operating an Agency-wide procurement vehicle and related Working Capital Fund service for Agile development of data systems and applications. Prior to this position, Michael was OEI's Director of the Collection Strategies Division, which led the Agency's Records Management, eDiscovery, FOIA, Docket, Information Collection Rule (ICR), and e-Rulemaking programs. Previously, Michael was in DWPD as the Associate Infrastructure Branch Chief where he provided information systems management and data analyses leadership roles in SDWIS Prime, the Compliance Monitoring Data Portal, SDWIS Fed, SDWIS State, the Drinking Water Mapping Application, the Underground Injection Control Data System, the Aircraft Reporting and Compliance System (ARCS), and the Safe Drinking Water Accession and Review System (SDWARS). Michael received a B.S. in Environmental Resources Engineering from Humboldt State University and a Master of Science in Environmental Resources Engineering from State University of New York Environmental Science and Forestry College.

Please join me in welcoming Holly and Michael to their permanent positions in DWPD!!

Announcements for the other management positions in DWPD will be forthcoming. Stay Tuned!!

Thank you,
Anita

Anita Maria Thompkins
Director, Drinking Water Protection Division
Office of Ground Water and Drinking Water
U.S. Environmental Protection Agency
Washington, DC
Office Phone: 202-564-5673
EPA Cell: 202-281-8430